

2003 Lakes and Reservoirs Advisory

| Location | Species | Fish Size (inches) | Contaminant | Group |
|------------------------------------|-----------------|--------------------|-------------|-------|
| Adams Lake | | | | |
| LaGrange County | Brown Bullhead | 14+ | ● | 2 |
| | Largemouth Bass | 12-13 | ○ | 2 |
| | | 13+ | ○ | 3 |
| | Walleye | 20-24 | ○ | 3 |
| | Yellow Perch | Up to 13 | | 1 |
| Atwood Lake | | | | |
| LaGrange County | Bluegill | Up to 7 | | 1 |
| Barrel-and-a-Half Lake | | | | |
| Kosciusko County | Bullhead | 10-13 | ○ | 2 |
| | | 13+ | ○ | 3 |
| | Largemouth Bass | 5-13 | ○ | 2 |
| | | 13+ | ○ | 3 |
| Bass Lake Starke County | Channel Catfish | Up to 11 | ○ | 2 |
| | | 11+ | ○ | 3 |
| | Largemouth Bass | Up to 6 | ○ | 2 |
| | | 6+ | ○ | 3 |
| | Walleye | Up to 14 | ○ | 2 |
| | | 14+ | ○ | 3 |
| Big Otter Lake | | | | |
| Steuben County | Yellow Bullhead | 12+ | ○ | 2 |
| Big Turkey Lake | | | | |
| LaGrange County | Black Crappie | Up to 8 | | 1 |
| | Bluegill | Up to 7 | | 1 |
| | Largemouth Bass | 13+ | ○ | 2 |
| Bischoff Reservoir | | | | |
| Ripley County | Largemouth Bass | 12-15 | ○ | 2 |
| | | 15+ | ○ | 3 |
| Bixler Lake Noble County | Bullhead | Up to 11 | ○ | 2 |
| | | 11+ | ○ | 3 |
| | Largemouth Bass | 6-10 | ○ | 2 |
| | | 10+ | ○ | 3 |

○ = Mercury Group 2 = 1 meal/week Group 4 = 1 meal/2 months
 ● - PCBs Group 3 = 1 meal/month Group 5 = DO NOT EAT
 (Women and children see advisory groups on Page 3 and Health Risks on Page 7)

| Location | Species | Fish Size (inches) | Contaminant | Group |
|---------------------------------------|-----------------|--------------------|-------------|-------|
| Blue Lake | | | | |
| Whitley County | Bluegill | Up to 8 | | 1 |
| | Largemouth Bass | 12-15 | ○ | 2 |
| | | 15+ | ○ | 3 |
| Brookville Reservoir | | | | |
| Franklin County | Largemouth Bass | 13-18 | ○ | 2 |
| | | 18+ | ○ | 3 |
| Cataract Lake (Cagles Mill Reservoir) | | | | |
| Putnam County | Carp | 18-21 | ○ | 2 |
| | | 21+ | ○ | 3 |
| | Largemouth Bass | 12-15 | ○ | 2 |
| | | 15+ | ○ | 3 |
| Cedar Lake | | | | |
| Lake County | Channel Catfish | 13-16 | ● | 2 |
| | | 16+ | ● | 3 |
| Center Lake Kosciusko County | Black Bullhead | 11-14 | ● | 3 |
| | | 14+ | ● | 4 |
| | Bluegill | 6-7 | ● | 2 |
| | | 7+ | ● | 3 |
| | Largemouth Bass | 8-14 | ● | 2 |
| | 14+ | ● | 3 | |
| Crooked Lake | | | | |
| Steuben County | Largemouth Bass | 13-16 | ○ | 2 |
| | | 16+ | ○ | 3 |
| Crooked Lake | | | | |
| Noble County | Largemouth Bass | 9-17 | ○ | 2 |
| | | 17+ | ○ | 3 |
| Dallas Lake | | | | |
| LaGrange County | Northern Pike | 26+ | ○ | 2 |
| Deam Lake | | | | |
| Clark County | Largemouth Bass | 10-12 | ○ | 2 |
| | | 12+ | ○ | 3 |

○ = Mercury Group 2 = 1 meal/week Group 4 = 1 meal/2 months
 ● - PCBs Group 3 = 1 meal/month Group 5 = DO NOT EAT
 (Women and children see advisory groups on Page 3 and Health Risks on Page 7)

| Location | Species | Fish Size (inches) | Contaminant | Group |
|---|-----------------|--------------------|-------------|-------|
| Dewert Lake Kosciusko County | Bullhead | 7-12 | ○ | 2 |
| | | 12+ | ○ | 3 |
| | Largemouth Bass | 8-13 | ○ | 2 |
| | | 13+ | ○ | 3 |
| Dogwood Lake Daviess County | Largemouth Bass | 10-14 | ○ | 2 |
| | | 14+ | ○ | 3 |
| | | | | |
| Dugger Lake Sullivan County | Catfish | ALL | ● | 3 |
| Eagle Creek Reservoir Marion County | Bluegill | Up to 6 | | 1 |
| | | | | |
| | Largemouth Bass | 15+ | ○ | 2 |
| Flint Lake Porter County | Bluegill | Up to 7 | | 1 |
| | | | | |
| | Warmouth | Up to 7 | | 1 |
| Geist Reservoir Hamilton/Marion Counties | Carp | 23-26 | ● | 2 |
| | | 26+ | ● | 3 |
| | Channel Catfish | 22-27 | ● | 3 |
| | | 27+ | ● | 4 |
| | Largemouth Bass | 10-13 | ○ | 2 |
| | | 13+ | ○ | 3 |
| | | | | |
| Griffy Lake Monroe County | Bluegill | 7+ | ○ | 2 |
| | | | | |
| | Largemouth Bass | 10-11 | ○ | 2 |
| | | 11+ | ○ | 3 |
| Hamilton Lake Steuben County | Largemouth Bass | 16-19 | ○ | 2 |
| | | 19+ | ○ | 3 |
| | | | | |

○ = Mercury Group 2 = 1 meal/week Group 4 = 1 meal/2 months
 ● - PCBs Group 3 = 1 meal/month Group 5 = DO NOT EAT
 (Women and children see advisory groups on Page 3 and Health Risks on Page 7)

| Location | Species | Fish Size (inches) | Contaminant | Group |
|--|--------------------|--------------------|-------------|-------|
| Harden Reservoir Parke County | Bluegill | Up to 6 | | 1 |
| | Largemouth Bass | 12-15 | ○ | 2 |
| | | 15+ | ○ | 3 |
| Henderson Lake Noble County | Bluegill | 5-6 | ● | 3 |
| | | 6+ | ● | 4 |
| | Carp | 17+ | ● | 3 |
| | Largemouth Bass | 16+ | ○ | 2 |
| Hominy Ridge Lake Wabash County | Bluegill | 7-8 | ○ | 2 |
| | | 8+ | ○ | 3 |
| | Largemouth Bass | 9-10 | ○ | 2 |
| | | 10-15 | ○ | 3 |
| | | 15+ | ○ | 4 |
| Hovey Lake Posey County | Carp | 30+ | ● | 3 |
| | Smallmouth Buffalo | 16-19 | ● | 3 |
| | White Bass | 9-12 | ● | 3 |
| | Channel Catfish | 17-19 | ● | 3 |
| J. Edward Roush Lake Huntington County | Carp | 22-23 | ○ | 2 |
| | | 23+ | ○ | 3 |
| | White Crappie | Up to 9 | | 1 |
| Jimerson Lake Steuben County | Bullhead | 8-10 | ○ | 2 |
| | | 10+ | ○ | 3 |
| | Largemouth Bass | 9-15 | ○ | 2 |
| | | 15+ | ○ | 3 |
| Kokomo Reservoir #2 Howard County | Largemouth Bass | 11-17 | ○ | 2 |
| | | 17+ | ○ | 3 |
| | | | | |
| Kunkel Lake Wells County | Bluegill | Up to 6 | | 1 |
| | Largemouth Bass | 9-16 | ○ | 2 |
| | | 16+ | ○ | 3 |

○ = Mercury Group 2 = 1 meal/week Group 4 = 1 meal/2 months
 ● - PCBs Group 3 = 1 meal/month Group 5 = DO NOT EAT
 (Women and children see advisory groups on Page 3 and Health Risks on Page 7)

| Location | Species | Fish Size (inches) | Contaminant | Group |
|---------------------------------------|------------------|--------------------|-------------|-------|
| Lake Freeman Carroll County | Carp | 27+ | ● | 2 |
| Lake George Lake County | Northern Pike | 18+ | ● | 2 |
| Lake George Steuben County | Largemouth Bass | 14-16 | ○ | 2 |
| | | 16+ | ○ | 3 |
| | Redear Sunfish | Up to 9 | | 1 |
| | Yellow Bullhead | 11-14 | ○ | 2 |
| | | 14+ | ○ | 3 |
| Lake James Steuben County | Bluegill | 7-10 | ○ | 2 |
| | | 10+ | ○ | 3 |
| | Largemouth Bass | Up to 10 | ○ | 2 |
| | | 10+ | ○ | 3 |
| | Northern Pike | Up to 20 | ○ | 2 |
| | | 20-36 | ○ | 3 |
| | | 36+ | ○ | 4 |
| | Yellow Bullhead | 10+ | ○ | 2 |
| Lake Lemon Monroe County | Black Crappie | Up to 7 | | 1 |
| | Bluegill | Up to 6 | | 1 |
| | Flathead Catfish | 10-20 | ● | 2 |
| | | 20+ | ● | 3 |
| | Largemouth Bass | 16-19 | ○ | 2 |
| | | 19+ | ○ | 3 |
| | Redear Sunfish | Up to 9 | | 1 |
| | White Crappie | Up to 9 | | 1 |
| Lake Manitou Fulton County | Bullhead | Up to 12 | ○ | 2 |
| | | 12+ | ○ | 3 |
| | Largemouth Bass | 8-13 | ○ | 2 |
| | | 13+ | ○ | 3 |

○ = Mercury Group 2 = 1 meal/week Group 4 = 1 meal/2 months
 ● - PCBs Group 3 = 1 meal/month Group 5 = DO NOT EAT
 (Women and children see advisory groups on Page 3 and Health Risks on Page 7)

| Location | Species | Fish Size (inches) | Contaminant | Group |
|--|-----------------|--------------------|-------------|-------|
| Lake Maxinkuckee Marshall County | Channel Catfish | 16-21 | ● ○ | 2 |
| | | 21+ | ● ○ | 3 |
| | Largemouth Bass | 6-17 | ○ | 2 |
| | | 17+ | ○ | 3 |
| | Walleye | 22-23 | ○ | 2 |
| | | 23+ | ○ | 3 |
| Lake Shafer White County | Bluegill | Up to 7 | | 1 |
| | Carp | 20-23 | ● | 2 |
| | | 23+ | ● | 3 |
| | Largemouth Bass | 12-13 | ● | 2 |
| | | 13+ | ● | 3 |
| Lake Shishewana LaGrange County | Carp | 27-30 | ● | 2 |
| | | 30+ | ● | 3 |
| | | | | |
| Lake Wapehani Monroe County | Bluegill | Up to 6 | | 1 |
| | Largemouth Bass | 9-14 | ○ | 2 |
| | | 14+ | ○ | 3 |
| Lake Wabee Kosciusko County | Bowfin | 14-23 | ○ | 2 |
| | | 23+ | ○ | 3 |
| | Bullhead | 10-13 | ○ | 2 |
| | | 13+ | ○ | 3 |
| | Largemouth Bass | 4-8 | ○ | 2 |
| | | 8+ | ○ | 3 |
| Lake Wawasee Kosciusko County | Bullhead | 9-15 | ● | 2 |
| | | 15+ | ● | 3 |
| | Largemouth Bass | 11-12 | ○ | 2 |
| | | 12+ | ○ | 3 |

○ = Mercury Group 2 = 1 meal/week Group 4 = 1 meal/2 months
 ● - PCBs Group 3 = 1 meal/month Group 5 = DO NOT EAT
 (Women and children see advisory groups on Page 3 and Health Risks on Page 7)

| Location | Species | Fish Size (inches) | Contaminant | Group |
|---------------------------------------|-----------------|--------------------|-------------|-------|
| Lake of the Woods | | | | |
| LaGrange County | Bluegill | Up to 6 | | 1 |
| | Largemouth Bass | 6-13 | ○ | 2 |
| | | 13+ | ○ | 3 |
| Lake of the Woods | | | | |
| Marshall County | Bluegill | Up to 9 | | 1 |
| | Carp | Up to 22 | ● | 2 |
| | | 22+ | ● | 3 |
| | Largemouth Bass | 14+ | ○ | 2 |
| | White Bass | 13+ | ● | 2 |
| Little Barbee Lake | | | | |
| Kosciusko County | Bluegill | Up to 7 | | 1 |
| | Largemouth Bass | 12+ | ○ | 2 |
| Little Turkey Lake | | | | |
| LaGrange County | Largemouth Bass | 14-20 | ○ | 2 |
| | | 20+ | ○ | 3 |
| Long Lake | | | | |
| Steuben County | Largemouth Bass | 9-13 | ○ | 2 |
| | | 13+ | ○ | 3 |
| Long Lake (Chain O' Lakes State Park) | | | | |
| Noble County | Bullhead | Up to 13 | ○ | 2 |
| | | 13+ | ○ | 3 |
| | Largemouth Bass | 7-12 | ○ | 2 |
| | | 12+ | ○ | 3 |
| Loomis Lake | | | | |
| Porter County | Bluegill | Up to 8 | | 1 |
| Loon Lake | | | | |
| Whitley County | Bluegill | Up to 7 | | 1 |
| | Yellow Perch | Up to 9 | | 1 |
| | Largemouth Bass | 13-16 | ○ | 2 |
| 16+ | | ○ | 3 | |

○ = Mercury Group 2 = 1 meal/week Group 4 = 1 meal/2 months
 ● - PCBs Group 3 = 1 meal/month Group 5 = DO NOT EAT
 (Women and children see advisory groups on Page 3 and Health Risks on Page 7)

| Location | Species | Fish Size (inches) | Contaminant | Group |
|-------------------------------|-----------------|--------------------|-------------|-------|
| Lower Fish Lake | | | | |
| LaPorte County | Bluegill | Up to 8 | | 1 |
| | Channel Catfish | 30+ | ● ○ | 3 |
| | Walleye | 16-18 | ○ | 2 |
| | | 18+ | ○ | 3 |
| McClish Lake | | | | |
| Steuben County | Bluegill | Up to 7 | | 1 |
| | Largemouth Bass | 8-13 | ○ | 2 |
| | | 13+ | ○ | 3 |
| Marquette Lagoon | | | | |
| Lake County | Bluegill | 4-7 | ● | 3 |
| | | 7+ | ● | 4 |
| | Largemouth Bass | 12+ | ● | 3 |
| Marsh Lake | | | | |
| Steuben County | Largemouth Bass | 13-17 | ○ | 2 |
| | | 17+ | ○ | 3 |
| | Yellow Bullhead | 6-11 | ○ | 2 |
| | | 11+ | ○ | 3 |
| Middlefork Reservoir | | | | |
| Wayne County | Largemouth Bass | 12-18 | ○ | 2 |
| | | 18+ | ○ | 3 |
| Mill Pond | | | | |
| Marshall County | Redear Sunfish | Up to 7 | | 1 |
| | Bluegill | 7+ | ○ | 2 |
| Mississinewa Reservoir | | | | |
| Miami County | White Crappie | Up to 10 | | 1 |
| | Largemouth Bass | 11-16 | ● | 2 |
| | | 16+ | ● | 3 |
| | Channel Catfish | 17-18 | ● | 2 |
| | | 18+ | ● | 3 |
| Monroe Reservoir | | | | |
| Brown/Monroe Counties | Bluegill | Up to 7 | | 1 |
| | Largemouth Bass | 11-18 | ○ | 2 |
| | | 18+ | ○ | 3 |

○ = Mercury Group 2 = 1 meal/week Group 4 = 1 meal/2 months
 ● - PCBs Group 3 = 1 meal/month Group 5 = DO NOT EAT
 (Women and children see advisory groups on Page 3 and Health Risks on Page 7)

| Location | Species | Fish Size (inches) | Contaminant | Group |
|--|-----------------|--------------------|-------------|-------|
| Morse Reservoir Hamilton County | Bluegill | Up to 6 | | 1 |
| | Largemouth Bass | 17+ | ● | 2 |
| | White Crappie | Up to 11 | | 1 |
| North Chain Lake St. Joseph County | Channel Catfish | 22+ | ● ○ | 3 |
| | Largemouth Bass | 12+ | ○ | 2 |
| | Walleye | 20+ | ○ | 3 |
| Olin Lake LaGrange County | Bowfin | 22+ | ○ | 2 |
| | Largemouth Bass | 14+ | ○ | 3 |
| | Smallmouth Bass | 5+ | ○ | 2 |
| Oliver Lake LaGrange County | Largemouth Bass | 6-11 | ○ | 2 |
| | | 11+ | ○ | 3 |
| Palestine Lake Kosciusko County | Bluegill | 7-8 | ● ○ | 2 |
| | | 8+ | ● ○ | 3 |
| | Largemouth Bass | 8-12 | ● ○ | 2 |
| | | 12-15 | ● ○ | 3 |
| | | 15+ | ● ○ | 4 |
| Patoka Reservoir Dubois/Orange Counties | | | | |
| | Bluegill | Up to 6 | | 1 |
| | Carp | 21-23 | ○ | 2 |
| | | 23+ | ○ | 3 |
| | Largemouth Bass | 16-20 | ○ | 2 |
| | | 20+ | ○ | 3 |
| Pleasant Lake | | | | |
| Steuben County | Largemouth Bass | Up to 12 | ● ○ | 2 |
| | Bullhead | 12+ | ● ○ | 3 |
| Pike Lake Kosciusko County | Largemouth Bass | 11-13 | ○ | 3 |
| | | 13+ | ○ | 4 |
| | Walleye | 9-14 | ● ○ | 2 |
| | | 14+ | ● ○ | 3 |

○ = Mercury Group 2 = 1 meal/week Group 4 = 1 meal/2 months
 ● - PCBs Group 3 = 1 meal/month Group 5 = DO NOT EAT
 (Women and children see advisory groups on Page 3 and Health Risks on Page 7)

| Location | Species | Fish Size (inches) | Contaminant | Group | |
|--------------------------------------|-----------------|--------------------|-------------|-------|---|
| Pretty Lake LaGrange County | Largemouth Bass | 14-16 | ○ | 2 | |
| | | 16+ | ○ | 3 | |
| Salamonie Reservoir Wabash County | Bluegill | Up to 7 | | 1 | |
| | Carp | 18-22 | ○ | 2 | |
| | | Largemouth Bass | 15-17 | ○ | 2 |
| | | 17+ | ○ | 3 | |
| | White Bass | Up to 14 | ○ | 2 | |
| | | 14+ | ○ | 3 | |
| | White Crappie | Up to 10 | | 1 | |
| Shock Lake Kosciusko County | Largemouth Bass | Up to 8 | ○ | 2 | |
| | | 8+ | ○ | 3 | |
| Snow Lake Steuben County | Largemouth Bass | 9-16 | ○ | 2 | |
| | | 16+ | ○ | 3 | |
| Spear Lake Kosciusko County | Largemouth Bass | Up to 13 | ○ | 3 | |
| | | 13+ | ○ | 4 | |
| Starve Hollow Jackson County | Bluegill | Up to 6 | | 1 | |
| | | 6+ | ○ | 2 | |
| | Largemouth Bass | Up to 13 | ○ | 2 | |
| | | 13+ | ○ | 3 | |
| Stone Lake LaPorte County | Black Crappie | Up to 11 | | 1 | |
| | Brown Bullhead | 11+ | ● | 2 | |
| Sylvan Lake | | | | | |
| Noble County | Largemouth Bass | Up to 13 | ○ | 2 | |
| Tippecanoe Lake Kosciusko County | Largemouth Bass | 7-12 | ○ | 2 | |
| | | 12+ | ○ | 3 | |
| Turtle Creek Reservoir | | | | | |
| Sullivan County | Bluegill | Up to 6 | | 1 | |
| | Carp | 22-26 | ● | 2 | |
| | | 26+ | ● | 3 | |
| | | Channel Catfish | 14+ | ● | 2 |
| | Largemouth Bass | 16+ | ● | 2 | |

○ = Mercury Group 2 = 1 meal/week Group 4 = 1 meal/2 months
 ● - PCBs Group 3 = 1 meal/month Group 5 = DO NOT EAT
 (Women and children see advisory groups on Page 3 and Health Risks on Page 7)

| Location | Species | Fish Size (inches) | Contaminant | Group |
|------------------------|-----------------|--------------------|-------------|-------|
| Upper Fish Lake | Redear Sunfish | Up to 9 | | 1 |
| LaPorte County | Warmouth | Up to 7 | | 1 |
| Versailles Lake | | | | |
| Ripley County | Largemouth Bass | 14+ | ○ | 3 |
| Webster Lake | Largemouth Bass | 14-20 | ○ | 2 |
| Kosciusko County | | 20+ | ○ | 3 |
| Winona Lake | Black Bullhead | 12+ | ● | 2 |
| Kosciusko County | Bluegill | Up to 8 | | 1 |
| | Carp | 24-26 | ● | 3 |
| | Largemouth Bass | 9-12 | ● | 2 |
| | | 12+ | ● | 3 |
| | Walleye | 21-24 | ● ○ | 2 |
| | | 24+ | ● ○ | 3 |
| | White Bass | 15-16 | ● | 3 |
| | | 16+ | ● | 4 |
| | White Sucker | 16-19 | ● | 2 |
| | | 19+ | ● | 3 |
| | Yellow Perch | Up to 8 | | 1 |
| Wolf Lake | Largemouth Bass | 13-17 | ● | 3 |
| Lake County | | 17+ | ● | 4 |
| | White Bass | 13-15 | ● | 3 |
| Worster Lake | Black Crappie | Up to 8 | | 1 |
| St. Joseph County | Bluegill | Up to 7 | | 1 |
| | Brown Bullhead | 14-16 | ● | 2 |
| | | 16+ | ● | 3 |
| | Redear Sunfish | Up to 11 | | 1 |
| Yellowwood Lake | Largemouth Bass | 9-14 | ○ | 2 |
| Brown County | | 14+ | ○ | 3 |

○ = Mercury Group 2 = 1 meal/week Group 4 = 1 meal/2 months
 ● - PCBs Group 3 = 1 meal/month Group 5 = DO NOT EAT
 (Women and children see advisory groups on Page 3 and Health Risks on Page 7)